McHenry Western Lake County EMS | McHenry County College Skill Proficiency Record

< Hemorrhage Control >

Provider Name:	Date:	···	
nstructions: Items marked with an asterisk (*) must be den retest will be required.	nonstrated with	n 100% accurac	y; otherwise a
Performance Standard	Satisfactory	Required Coaching Test 1 Test 2 Test 3	Unsatisfactory
*Dons appropriate PPE (minimum standards listed) [] Gloves [] Protective eyewear	[][][]	[] [] []	[][][]
*Identifies type of bleeding Capillary Venous Arterial	[][][]	[][][]	[] [] []
Applies direct pressure to bleed site using the rescuer's hand and absorbent material such as gauze	[][][]	[][][]	[][][]
Exercises caution not to remove gauze to prevent disruption of clotting	[][][]	[][][]	[][][]
Applies additional gauze as necessary	[][][]	[][][]	[][][]
*Identifies effectiveness of direct pressure and chooses appropriate alternative method of hemorrhage control if necessary] Hemostatic agent] Tourniquet	[] [] []	[][][]	[] [] []
f direct pressure is effective, properly applies pressure pandage] Uses rigid object to concentrate pressure over wound] Tightly wraps bandaging around gauze and rigid object to control bleeding	[] [] []	[][][]	[] [] []
*Assesses presence of distal circulation	[][][]	[][][]	[][][]
Monitors effectiveness of bandage and chooses appropriate alternative method of hemorrhage control if ncessary		[][][]	[] [] []
Performance Validation: [] Pass [] Retest	>	[] Pass	[] Fail
Comments:			
Evaluator's Signature			

McHenry Western Lake County EMS | McHenry County College Skill Proficiency Record

< Tourniquet Application >

Provider Name:	Date:			
Instructions: Items marked with an asterisk (*) must be demonstrated with 100% accuracy; otherwise a retest will be required.				
Performance Standard	Satisfactory Test 1 Test 2 Test 3	Required Coaching Test 1 Test 2 Test 3	Unsatisfactory Test 1 Test 2 Test 3	
*Verbalizes indication for tourniquet use [] Profuse extremity bleeding [] Inability to control bleeding with direct pressure	[] [] []	[][][]	[][][]	
*Dons appropriate PPE for hemorrhage control	[][][]	[][][]	[][][]	
*Explains procedure to patient	[] [] []	[][][]		
*Wraps tourniquet strap around effected extremity and threads through at least one buckle opening		[][][]	[][][]	
*Pulls strap tight and folds backward over itself and affixes Velcro	[] [] []	[][][]	[][][]	
*Turns windlass clock-wise until bleeding stops		[][][]		
*Secures windlass in capture device and affixes Velcro security strap over windlass	[][][]	[][][]	[][][]	
*Records time of application on tourniquet	[] [] []	[][][]	[][][]	
Performance Validation: [] Pass [] Retest> [] Pass [] Fail				
Comments:				
Evaluator's Signature		•		