McHenry Western Lake County EMS | McHenry County College Skill Proficiency Record

< Mucosal Atomization Device (MAD) >

Provider Name:	Date:		
Instructions: Items marked with an asterisk (*) must be den retest will be required.	nonstrated with	ı 100% accurac	y; otherwise a
	Satisfactory	Required	Unsatisfactory
Performance Standard	Test 1 Test 2 Test 3	Coaching Test 1 Test 2 Test 3	Test 1 Test 2 Test 3
*Verbalizes drug(s) associated with the delivery device within scope [] Naloxone [] Glucagon	[][][]	. [] [] []	[][][]
Verbalizes indication for MAD use [] Altered mental status [] Use of needles would create a hazardous condition (during transport, combative patient, etc.)	[][][]	[][][]	[] [] []
*Explains procedure to patient	[][][]	[][][]	[][][]
*Verifies 5 rights of drug prior to administration	[][][]	[][][]	[][][]
*Verbalizes volume delivery limitations [] No more than 1 ml per nare	[][][]	[] [] []	[][][]
*Draws appropriate dose in to syringe	[][][]	[][][]	[][][]
*Securely attaches MAD to syringe	[][][]		[][][]
*Briskly administers medication causing atomization of liquid	[][][]		[][][]
Reapplies airway adjunct or oxygen therapy if indicated	[][][]	[][][]	[][][]
		-	
Performance Validation: [] Pass [] Retest	>	[] Pass	[] Fail
Comments:			
Evaluator's Signature			